US ISSN 0022 0493

Journal of Economic Entomology

VOLUME 85—1992

GERALD M. GHIDIU
Editor
JACQUELINE L. ROBERTSON
Editor
JOHN C. SCHNEIDER
Editor

RICHARD S. ZACK
Book Review Editor
RAYMOND L. EVERNGAM, JR.
Managing Editor

RICHARD H. FOOTE
MELISSA McDANIEL
Copy Editors
ROBERT G. HEADRICK
VIVIANA VILLAFANE
JENNIFER YEARWOOD
Production Editors

Editorial Board

C. E. EASTMAN, *Chair*
Champaign, IL
Section C, 1992
S. S. QUISENBERRY
Baton Rouge, LA
Section F, 1993

MARLIN E. RICE
Ames, IA
Section E, 1994
SONNY B. RAMASWAMY
Mississippi State, MI
Section B, 1995

FRANK S. GUILLOT
Baton Rouge, LA
Section D, 1996

Published by the
Entomological Society of America

F. T. TURPIN
West Lafayette, IN
President
L. R. NAULT
Worcester, OH
Past President
F. W. KNAPP
Lexington, KY
President-Elect
J. H. SHADDY
Kirksville, MO
Secretary-Treasurer

M. B. STOETZEL
Beltsville, MD
Eastern Branch
K. L. STEFFEY
Champaign, IL
North Central Branch
R. E. BERRY
Corvallis, OR
Pacific Branch
B. R. WISEMAN
Tifton, GA
Southeastern Branch

T. W. FUCHS
San Angelo, TX
Southwestern Branch
B. J. HARRINGTON
Madison, WI
Section A
H. OBERLANDER
Gainesville, FL
Section B
M. E. IRWIN
Champaign, IL
Section C

J. D. EDMAN
Amherst, MA
Section D
D. D. KOPP
Fargo, ND
Section E
G. L. TEETES
College Station, TX
Section F
W. D. HANSEN
Lanham, MD
Executive Director

Published by THE ENTOMOLOGICAL SOCIETY OF AMERICA

JEENAI 85: 1–2550 (1992)

A
Abd-Elghafar, S. F., 1809
Abdel-Aal, Y. A., 651
Agnello, A. M., 212
Ahn, Y.-J., 664
Ahrens, E. H., 2286
Akre, R. D., 70, 1188
Albert, P. J., 2317
All, J. N., 1507
Allsopp, P. G., 106, 1797, 2194
Alm, S. R., 1660, 2144
Altamarino, T. P., 2211
Altman, D. W., 589
Amjad, M., 2003
Anderson, D. L., 47
Anderson, M. D., 299, 594
Anderson, S. G., 1933
Andow, D. A., 379
Appel, A. G., 1176, 1194, 1809
Arango, G. L., 1485
Archer, T. L., 987
Armstrong, T. A., 1516
Arnason, J. T., 669, 2478
Arthur, F. H., 554, 570, 1471, 1994
Arx, R. V., 2246
Atkinson, J., 669

B
Backus, E. A., 88
Bagwell, R. D., 658
Baker, R. T., 312, 1560
Baranowski, R. M., 1843
Barfield, C. S., 1919
Barnard, D. R., 1213
Barnes, M. M., 1274
Barnett, W. W., 1904
Barry, D., 2492
Bartelt, R. J., 772
Barthakur, N. N., 1307
Baumgartner, J., 2246
Behle, R. W., 2251
Belcher, D. W., 1413
Benedict, J. H., 589, 2058
Bennett, G. W., 1194
Bentz, J.-A., 514
Berberet, R. C., 1946
Berger, L. A., 993
Bergh, J. C., 1754
Bernhardt, J. L., 375
Berry, I. L., 1835
Berry, R. E., 1628
Bethke, J. A., 9
Bidochka, M. J., 58
Biever, K. D., 720, 739
Bing, J. W., 1476
Binns, M. R., 1253
Birtles, D. B., 1222
Blua, M. J., 759
Boczek, J., 162
Boerma, H. R., 1507
Boetel, M. A., 246
Boethel, D. J., 731, 1056
Bondari, K., 293, 878, 1940
Bradley, Jr., J. R., 402
Braman, S. K., 870
Bramel-Cox, P. J., 2170
Brazzel, J. R., 813
Brewer, F. D., 445
Brewer, G. J., 299
Brook, K. D., 1356, 1368, 1378
Browde, J. A., 2270
Brown, D. F., 910, 918
Brown, G. C., 710
Browning, H. W., 384
Bruce, W. A., 848
Brun, L. O., 325
Brusven, M. A., 783
Buck, N. A., 700
Buckley, P. M., 2039
Buhler, W. G., 1910
Bumroongsook, S., 187
Buntin, G. D., 530, 2447
Burd, J. D., 1497, 2017
Burditt, Jr., A. K., 464
Burikam, I., 2298
Burkholder, W., 1463
Burnam-Larish, L. L., 1878
Burris, E., 2064
Burton, R. L., 1497, 2017
Burts, E. C., 182
Busey, P., 2032
Butler, L., 1340
Butts, R. A., 1140, 1167
Byers, J. R., 1146, 1387
Byers, M. E., 974
Byers, R. A., 1933
Bynum, Jr., E. D., 987

C
Cabanillas, H. E., 1666
Caddel, J. L., 1946
Calderon, J. D., 88
Callcott, A.-M., 2131
Campbell, J. B., 1835
Campos, F., 669
Canal Wheatley, J. A., 731
Caprio, L. C., 1878, 1884, 2370
Caprio, M. A., 611
Carozzi, N. B., 1651
Carpenter, J. E., 779
Carroll, J. F., 848
Cate, J. R., 74
Cavazos, R., 993
Chalfant, R. B., 878, 1802
Chamberlin, J. R., 1072
Chambers, W. S., 100
Chandler, L. D., 1099, 1130, 1972
Charernsom, K., 2298
Charlet, L. D., 766
Chauvin, R. L., 720
Childers, C. C., 1330
Cho, K.-Y., 664
Chouinard, G., 1307
Clark, D. C., 1771
Clarke, G. M., 2045
Clarke, S. R., 1246
Clemens, T., 486
Clement, S. L., 583
Clements, D. R., 192
Coats, J. R., 424
Cochran, D. G., 1201
Cockfield, S. D., 2383
Coggins, Jr., C. W., 486
Coli, W. M., 2258
Collins, H. L., 2131
Collins, P. J., 1571
Collins, R. D., 2505
Colyer, P. D., 1442
Coop, L. B., 240
Cooper, A., 1278
Cooper, R. A., 838
Cordoba, F., 1485
Cornelius, J. R., 2440
Coughlin, J. A., 2370
Cowley, J. M., 312, 1560
Cox, P. G., 1539
Craig, T. M., 144
Crawford, L. A., 2051
Croft, B. A., 240
Culy, M. D., 2440
Cuperus, G. W., 1779
Currie, R. W., 1293, 1300

D
Dadour, I. R., 208
Daly, J. C., 1583
Danka, R. G., 1104
Dapkus, D., 340
Darrah, L. L., 2492
Darvas, B., 2107
Dauterman, W. C., 1041
Davey, R. B., 2286
Davidson, E. C., 371
Davis, F. M., 2486
De Barjac, H., 1618
De Benedictis, J. A., 1527
DeLaplane, K. S., 2118
DeSouza, K. R., 2100
Dean, A., 52
Deaton, W. R., 1516
Debarr, G. L., 1246
Degooyer, T. A., 2270
Demark, J. J., 1194
Demianyk, C. J., 1453
Dennehy, T. J., 1088, 2218
Dennis, P. A., 33
Desai, N., 1651
Deshazer, J. A., 1835
Devaney, J. A., 144
Devine, J. M., 1413
Dias, R., 1990
Dicke, F. F., 1476
Dominiak, B. C., 1576
Donahaye, E., 1450, 1990
Dowd, P. F., 772
Dowdy, A. K., 567, 1946
Drake, S. R., 1855
Drapek, R. J., 240
Drees, B. M., 365, 993
Drummond, F. A., 1762

Duarte, A.L.A., 456
Dumanoir, V. C., 1618
Dutcher, J. D., 389

E
Echtenkamp, G. W., 974
Economopoulos, A. P., 753
Edge, V. E., 1576
Edwards, C. R., 2440
Eisley, J. B., 853
El-Agamy, F. M., 794
El-Bardan, A. A., 2096
El-Din, M.H.T., 2107
El-Kady, E. M., 2096
El-Nahas, H. M., 2096
El-Salam, N.M.A., 52
Elden, T. C., 576
Elfving, D. C., 477
Elgin, Jr., J. H., 576
Elkinton, J. S., 1865
Ellis, C. R., 1434, 2425
Ellsbury, M. M., 2467
Ellsworth, P. C., 402
Elzen, G. W., 2064
Embleton, T. W., 486
Eross, K., 2107
Estes, E. A., 888
Estesen, B. J., 700
Etienne, J. C., 182

F
Fairbrother, T. E., 2467
Fan, Y., 1762
Fargo, W. S., 2023, 2365
Farrow, J. M., 1072
Federici, B. A., 2138
Feldman, J., 1695, 1701
Felsot, A. S., 544
Feng, M.-G., 830, 1779
Fereres, A., 759
Fielding, D. J., 783
Finson, N., 1046, 2082
Fischhoff, D. A., 1516
Fisher, G. C., 240
Fisher, J. R., 262
Fitzpatrick, S. M., 947
Flint, H. M., 1516
Foil, L. D., 2279
Formusoh, E. S., 789, 2505
Forrester, N. W., 1539
Foster, D. E., 1015
Foster, J. E., 307
Foster, R. E., 1285
Foster, S. P., 2305
Fournier, D., 2077
Fowler, H. G., 1154
French, II, N. M., 1347
Friese, D. D., 1830
Fry, L. L., 65
Fuchs, R. L., 1516
Fuller, B. W., 246

G
Gabor, J. W., 2413
Gamez, R., 411
Garbor, J. W., 2008
Gaston, L. K., 202
Gavloski, J. E., 1434
Gaylor, M. J., 1
Geden, C. J., 435
George, J. E., 2286
Georgis, R., 365, 727, 1660
Ghidiu, G. M., 281
Giacon, H., 47
Girma, M., 395
Glazer, I., 1636
Gordh, G., 2153
Gould, W. P., 1235
Grafton-Cardwell, E. E., 2088
Granett, J., 21, 1527, 2088
Graves, J. B., 651, 2064
Gray, M. E., 246, 268, 544
Greer, L. G., 2012
Grehan, J. R., 865
Grigarick, A. A., 950
Groden, E., 1762
Grodowitz, M. J., 2201
Gross, H. R., 276
Guertin, C., 2317
Guthrie, W. D., 1476

H
Haanstad, J. O., 172
Hall, F. R., 256
Hall, M. R., 878
Hallman, G. J., 168, 1231
Hamilton, R. I., 2478
Hamm, J. J., 2149
Hammon, R. W., 2452
Hammond, A. M., 416
Hamon, S., 1618
Hanks, L. M., 683
Hansen, J. D., 1846
Hanula, J. L., 1660
Hara, A. H., 2310
Harbo, J. R., 2125
Hare, J. D., 486, 1926
Harms, R. H., 1213
Harmsen, R., 192
Harris, M. K., 187
Harrison, W. E., 1099
Harte, D. S., 312, 1560
Hartsell, P. L., 150, 1855
Harvey, T. L., 1731
Hata, T. Y., 2310
Hatano, R., 1088
Hatchett, J. H., 307, 2505
Hawks, D. C., 1274
Hayden, T. P., 58
Haynes, K. F., 794, 1771
Heady, S. E., 2336
Heagler, A. M., 1007
Heard, T. A., 461
Hearn, A. B., 1356, 1368, 1378
Heath, R. R., 416
Heather, N. W., 461
Hedin, P. A., 359
Hein, G. L., 246, 1779
Heinz, K. M., 2263
Helm, C. G., 2433
Hennessey, M. K., 1843
Henning, J. A., 226, 233
Hepworth, G., 1791, 2234, 2240
Hernandez, E. M., 74
Herr, J. C., 1671
Hesler, L. S., 950
Heuvel, J.V.D., 2305
Higgins, C. J., 1891
Higgins, R. A., 963
Higley, L. G., 2270
Hilder, V. A., 2516
Hilgert, J. W., 860
Hill, B. D., 1146, 1387
Hill, S. B., 1307
Hockett, E. A., 2008
Hoffman, C. J., 2218
Hoffmann, M. P., 2516
Hogg, D. B., 250
Hogsette, J. A., 1209, 2291, 2295
Hollingsworth, C. S., 2258
Holsten, E. H., 473
Holt, J., 1979
Holtkamp, R. H., 1576
Homma, H., 2298
Horowitz, A. R., 318, 2113
Houseman, J. G., 669
Howell, J. F., 910, 918
Hoy, C. W., 2336
Hribar, L. J., 2279
Hu, B.K.S., 2310
Hudson, W. G., 870
Hue, N. V., 2357
Hull, L. A., 926, 932
Hunt, D.W.A., 1873

I
Imaino, L. S., 2310
Immaraju, J. A., 9
Inayatullah, C., 2023
Ingle, S. J., 1859
Isenhour, D. J., 2473, 2500
Ishaaya, I., 318, 2113

J
Jackson, D. M., 710
Jacobs, S. B., 1933
Jang, E. B., 2310
Jansson, R. K., 416, 1642
Jay, S. C., 687, 692
Jeffords, M. R., 2433
Jenkins, J. N., 359, 981, 2496
Jin, X., 1340
Johnson, A. W., 878
Johnson, D. E., 1594
Johnson, D. W., 710
Johnson, J. A., 561
Johnson, J. W., 530
Johnson, M. W., 15, 1046, 2082, 2370

Jones, R. W., 74
Jones, V. P., 1878, 1884
Joyce, J. A., 1587

K
Kaakeh, W., 389, 496, 939
Kamble, S. T., 974
Kaneshiro, K. Y., 2357
Kanno, T., 2298
Karner, M., 1779
Karr, L. L., 424
Kazmer, D. J., 1278
Kelly, C. F., 1356, 1368, 1378
Kelsey, R. G., 1628
Kence, A., 1566
Kence, M., 1566
Kerns, D. L., 1
Kfir, R., 518
Khachatourians, G. G., 58
Kido, K., 1063
Kim, G.-H., 664
Kindler, S. D., 1731, 2012
King, J. R., 1231
Kirsch, P. A., 918, 1274
Kiser, J., 2516
Kitto, G. B., 1463
Klein, M., 1636
Klein, M. G., 727, 1797, 2194
Klotz, J. H., 1822
Knight, A. L., 910, 918, 926, 932
Koch, T. A., 2336
Koehler, P. G., 112, 117, 1184, 1601, 1209
Kogan, M., 2433
Kolodny-Hirsch, D. M., 1136
Kotze, A. C., 1614
Koziel, M., 1651
Krueger, H. R., 256
Krysan, J. L., 910, 918
Kuhlman, D. E., 268
Kumar, H., 1736
Kung, K.-J.S., 1695, 1701
Kushnak, G. D., 2008, 2413

L
Ladd, Jr., T. L., 1797
Ladner, A., 2131
Lamb, R. J., 743
Lance, D. R., 967
Lapchin, L., 2077
Lapointe, S. L., 1485
Larew, H. G., 514
Lauzon, C. R., 83
Lawson, D. S., 212
LePrince, D. J., 2279
Learmonth, S. E., 2228
Lee, Jr., R. E., 371
Lee, M. R., 371
Leesch, J. G., 157
Lege, K. E., 2211
Legg, D. E., 1779
Legner, E. F., 2153
Leibee, G. L., 2073
Leigh, T. F., 21
Leonard, B. R., 2064
Lester, D. G., 583
Levine, E., 262, 544, 2425
Li, S. Y., 192
Lillehoj, E. B., 2492
Lin, C. P., 1150
Linda, S. B., 2344
Lintereur, G., 1873
Little, Jr., R. J., 1413
Lloyd, E. P., 2201
Lockey, T. D., 1069
Lockley, T. C., 2131
Loera, J., 1666
Long, S. J., 435
Lopez, J. D., 2211
Luck, R. F., 1112
Lysyk, T. J., 130

M
Mable, B. K., 642
MacCollom, G. B., 83
MacFarlane, J. R., 2234, 2240
Mack, T. P., 2459
Mackay, W. P., 1154
Mahr, D. L., 2383
Maier, C. T., 2258
Maindonald, J. H., 1222, 2305
Malavasi, A., 456
Malezieux, S., 2077
Malyj, L. D., 2516
Mamood, A., 700
Mangan, R. L., 441, 1859
Mannion, C. M., 1642
Marenco, R. J., 1285
Margolies, D. C., 2170
Marini, R. P., 496, 939
Martin, W. R., 1184
Mason, L. J., 416
Matthiessen, J. N., 2228
Mayer, D. F., 1293
McCarty, Jr., J. C., 2211
McCelfresh, J. S., 683
McClure, M. S., 468
McCombs, S. D., 1240
McCoy, E. L., 2194
McDonald, R. S., 957
McGaughey, W. H., 567, 1594
McGuire, M. R., 1425
McInnis, D. O., 1671
McKenzie, J. A., 352
McKenzie, L. J., 2045
McKibben, G. H., 2201
McLaughlin, J. L., 2353
McLennan, P. D., 2185
McManus, B., 1007
McMillian, W. W., 2492
McNew, R. W., 1946
McPherson, R. M., 1940
McSorley, R., 1802
McVeigh, L. J., 2100
McWilliams, J. M., 1162
Menge, J. A., 486
Merchant, M. E., 2418
Messing, R. H., 1687
Meyer, J. L., 486
Michels, Jr., G. J., 2251
Micinski, S., 2064
Mihm, J. A., 2473
Millar, J. G., 683, 1274, 1709
Miller, D. K., 144
Miller, G. T., 150
Miller, J. C., 1628
Miller, R. W., 365
Miller, T. A., 1079
Mills, J. T., 1453
Milner, M., 1695, 1701
Mink, J. S., 1056
Moellenbeck, D. J., 1442, 1491, 2027
Moffitt, H. R., 1855
Moldenke, A. F., 1628
Montague, M. A., 233
Monthean, C., 507
Moore, A., 1624
Morand, P., 669
Moreno, D. S., 1112
Morgante, J. S., 456
Morrill, W. L., 2008, 2413
Morton, J., 1340
Moser, B. A., 112
Moss, J. I., 1601
Motoyama, N., 1041
Moulin, J. C., 2077
Moulton, M. E., 963
Mulla, M. S., 65
Mullens, B. A., 137
Mullinix, Jr., B. G., 1072
Mulrooney, J. E., 981
Murray, K. D., 1865

N
Nakache, Y., 1636
Nascimento, A. S., 456
Nault, B. A., 1507
Navarro, R. T., 74
Navarro, S., 1990
Navon, A., 1636, 2138
Negron, J. F., 1246
Newman, J. P., 9, 2263
Ng, S. S., 2486
Nguyen, R., 813
Nguyen, T. X., 182
Nichols, B. J., 100
Niemczyk, H. D., 821
Niwa, C. G., 2323
Nordheim, E., 1695, 1701
Nordin, G. L., 710
Norris, D. M., 172
Norton, G. A., 1979
Nowierski, R. M., 830, 1779
Nuessley, G., 1063
Nyrop, J. P., 1253, 2218

O
O'Brien, P. J., 651
Ogecha, J., 1522
Ogg, C. L., 974
Ohm, H. W., 307

Olechowski, H. T., 2478
Oliver, Jr., J. H., 162
Oloumi-Sadeghi, H., 262, 2425
Omer, A. D., 21
Onstad, D. W., 2433
Oraze, M. J., 950
Orton, C. J., 28
Osman, A. A., 335
Otis, G. W., 40
Ott, S. L., 530
Ottea, J. A., 651
Ourth, D. D., 1069
Overhulser, D. L., 2323

P
Paine, T. D., 9, 683
Pair, S. D., 1099, 1666, 1972
Palaniswamy, P., 743
Palrang, A. T., 950
Pankiw, T., 687, 692
Parker, A. G., 352
Parker, B. L., 865, 2329
Parker, F. D., 1740
Paroonagian, D., 1347
Parrella, M. P., 799, 2263, 2377
Parrot, W. L., 2496
Parrott, W. L., 359, 981
Patterson, C. G., 900
Patterson, F. L., 307
Patterson, R. S., 112, 117, 1184, 1601
Paulson, G. S., 70
Pawson, B. M., 451
Peairs, F. B., 539, 1779, 2452
Pederson, G. A., 2467
Pedigo, L. P., 2270, 2399, 2404, 2408
Pehrson, J. E., 486
Peiper, U. M., 2138
Pendley, A. F., 870
Peng, C., 594
Peng, Y.-S., 233
Perlak, F. J., 1516
Perring, T. M., 759, 1063, 1278
Peters, D. C., 1522, 2003
Petersen, J. J., 451
Peterson, G. C., 1393
Peterson, P. M., 461
Peterson, S. S., 250
Pfannenstiel, R. S., 384
Pfeiffer, D. G., 496, 939
Phillips, J. R., 2211
Phillips, P. A., 1318, 1926, 2389
Philogene, B.J.R., 669, 2478
Pike, K. S., 583
Pilcher, S. D., 539
Plapp, Jr., F. W., 658
Podgwaite, J. D., 1136
Polgar, L., 2107
Porter, S. D., 1154
Postle, A. C., 208
Poston, F. L., 963
Potter, D. A., 507, 900
Potter, W. M., 2353
Poucher, C., 813
Powell, P. K., 1818
Power, A. G., 411
Power, K. T., 821
Prabhaker, N., 1063
Pralavorio, M., 2077
Pree, D. J., 642, 2051
Preisler, H. K., 1033
Purcel, M., 15
Purcell, M., 1687
Puterka, G. J., 1497

Q
Quinn, F. A., 1463
Quisenberry, S. S., 1007, 1442, 1491, 2027
Quistad, G. B., 33

R
Raffa, K. F., 1873
Ramadan, M. M., 1671
Ramaswamy, S. B., 1347
Rathman, R. J., 15
Ratnayake, S., 2353
Raulston, J. R., 1666, 1972
Raymer, P. L., 2447
Reardon, R. C., 1136
Redmond, C. T., 900
Reed, J. P., 256
Reed, T. D., 1963
Reese, J. C., 395, 789
Reid, B. L., 1194, 1822
Reissig, W. H., 212
Rethwisch, M. D., 1624
Riad, Y., 2096
Rice, R. E., 1709, 1904
Riley, D. G., 1919
Riley, T. J., 998, 2492
Rindner, M., 1450, 1990
Ring, D. R., 589, 2058
Rivera, R., 1104
Robb, K. L., 9
Robertson, J. L., 1033, 1120
Robinson, J., 1954, 2510
Robinson, J. F., 1007
Robinson, J. V., 416
Robinson, W. H, 348, 1818
Rodriguez, C. M., 411
Rodriguez, J. L., 137
Rose, H. A., 1571
Rosenheim, J. A., 15, 2370
Ross, M. H., 123, 1201
Roush, R. T., 634
Roux, O., 2246
Rowe, L. D., 144
Rugg, D., 28
Rupprecht, J. K., 2353
Rust, M. K., 430
Rutkowski, A. A., 83
Rutz, D. A., 435

S
Saito, K., 1041
Salama, M. S., 1079
Samson, P. R., 2185
Sances, F. V., 202
Sanchez, C. A., 1285
Sanderson, J. P., 634
Sarnthoy, O., 2298
Saul, S. H., 1240
Savage, K. E., 2073
Schaalje, G. B., 130, 1146, 1167, 1387
Schal, C., 838
Scheffrahn, R. H., 845, 2275
Schotzko, D. J., 1480
Schouest, Jr., L. P., 1079
Schuster, D. J., 1919
Schuster, M. F., 2211
Schwartz, J. M., 1046
Scott, G. E., 2492
Scott, J. G., 435, 1088, 1092
Scott-Dupree, C. D., 40
Scully, M. J., 1393
Seal, D. R., 878, 1802
Sears, M. K., 957
Sell, C. R., 910, 918
Semtner, P. J., 1963
Serrano, M. S., 1485
Shapiro, M., 1120, 1682, 2149
Sharp, J. L., 168, 1235, 1843, 2161, 2302
Shasha, B. S., 1425
Sheppard, D. C., 1587
Siegfried, B. D., 1092
Simonaitis, R. A., 1994
Sinha, R. N., 1453
Sites, R. W., 100
Sivasupramaniam, S., 335
Skinner, M., 865
Skinner, W. S., 33
Slansky, Jr., F., 1717
Slessor, K. N., 1293, 1300
Smelser, R. B., 2399, 2404, 2408
Smilanick, J. M., 2516
Smith, A. M., 1791
Smith, C. M., 1480
Smith, C. W., 2211
Smith, D. B., 1347
Smith, J. L., 430
Smith, Jr., J. W., 384
Smith, M. S., 998
Smyth, K.-A., 352
Snodgrass, G. L., 1162
Snook, M. E., 2473, 2500
Sorensen, K. A., 416
Sotelo, G., 1485
Southwick, E. E., 621
Southwick, Jr., L., 621
Souza, E. J., 1480
Spangler, S. M., 212
Sparks, B., 870
Speese, III, J., 281
Sprenkel, R. K., 2161
Springer, T. L., 1731, 2012
Stahlman, P. W., 1731
Stark, J. D., 808, 1125, 1687
Steffey, K. L., 268, 544

Stephenson, M. G., 1940
Sterling, W. L., 52
Stevens, M. M., 1606
Stiefel, V. L., 2170
Stoner, K. A., 1023
Stritzke, J. F., 1946
Strong-Gunderson, J. M., 371
Su, N.-Y., 845, 2275
Suckling, D. M., 325
Sudarsono, H., 375
Sugden, E. A., 1104
Suiter, D. R., 117
Sumner, H. R., 276
Suomi, D. A., 1188
Sutter, G. R., 967
Szlendak, E., 162

T
Tabashnik, B. E., 15, 611, 1046, 1551, 1624, 2082, 2370
Talekar, N. S., 1150
Taylor, K. S., 700
Taylor, P. L., 307
Taylor, R.A.J., 821
Teetes, G. L., 1393, 2418
Tenbrink, V. L., 2310
Tenne, F. D., 1413
Terry, L. I., 1402
Teuber, L. R., 226, 233
Teulon, D.A.J., 895
Thalman, R. K., 1125
Thie, N.M.R., 669
Thiery, I., 1618
Thistlewood, H.M.A., 477, 2051
Thomas, D. B., 441
Throne, J. E., 1994
Tian, T., 2088
Toba, H. H., 464, 1855
Tobi, D. R., 2329
Todd, J. W., 1072
Tolley, M. P., 821
Toscano, N. C., 202, 1063
Trahan, G. B., 1007
Treacy, M. F., 2058
Troubridge, J. T., 947
Tugwell, N. P., 375
Turco, R. F., 1910

U
Umbeck, P. F., 589
Unruh, T. R., 918

V
Van Steenwyk, R. A., 2357
Vargas, R. I., 808, 1125, 1687
Vehrs, S.L.C., 799
Venables, L., 1136
Venkateswaran, S., 1628
Videla, G. W., 2486
Vincent, C., 1307
Vinson, S. B., 365, 993
Voulgaropoulos, A. L., 1318, 2389

W
Waddell, B. C., 1222
Wade, C., 144
Walgenbach, D. D., 246
Walgenbach, J. F., 888
Walgenbach, P. J., 1413
Walker, G. P., 799, 1318, 2389
Waller, G. D., 700
Wallner, W. E., 2329
Walsh, T. S., 2138
Walters, P. J., 1576
Walton, G. S., 1136
Wareing, D. R., 1979
Warren, G. N., 1606
Warren, G. W., 1651
Watson, D. W., 451
Watson, T. F., 335
Watts, J. E., 28
Wax, L. M., 2433
Weakley, C. V., 1904
Webb, S. E., 2161, 2344
Webster, J. A., 1522, 2023
Wedberg, J. L., 250
Wegecsanyi, M., 1571
Weires, Jr., R. W., 83
Weires, R. W., 212
Weiss, M., 910
Weiss, M. J., 594
Weissling, T. J., 539
Welch, J. B., 1740
Welch, S. M., 963
Welter, S. C., 2370
Werner, R. A., 473, 860
Wernz, J. G., 1628
Wheeler, G. S., 1717
Whitehand, L. C., 561
Whitfield, G. H., 1434
Whitford, F., 1491
Whiting, D. C., 2305
Whittier, T. S., 2357
Wicklow, D. T., 772
Widstrom, N. W., 289, 601, 2473, 2492
Wieman, G. A., 1835
Wilde, G. E., 395, 789, 2505
Williams, J. L., 1104
Williams, W. P., 2039, 2486
Willson, H. R., 853
Wilson, A. D., 583
Wilson, F. D., 1516
Wilson, L. T., 2516
Wilson, R. L., 2500
Wing, K. D., 2107
Winston, M. L., 1293 , 1300
Wintersteen, W. K., 1015, 2270
Wiseman, B. R., 276, 289, 293, 601, 2473, 2500
Witkowski, J. F., 974
Wofford, P. L., 561
Wong, T.T.Y., 1125, 1671
Woodson, W. D., 2365
Wright, D. J., 2100
Wright, J. E., 1130
Wright, R. J., 1218
Wyman, J. A., 1695, 1701

X
Xie, Y., 2478

Y
Yeates, D. K., 208
Yeh, T., 1660, 2144
Yen, J. L., 352
Yencho, G. C., 2058
Yokoyama, V. Y., 150
York, A. C., 1910
Yoshida, H. A., 2377
Young, K. W., 848
Youngman, R. R., 1063
Yu, S. J., 675

Z
Zaenker, E. I., 2032
Zalach, D., 1450
Zalom, F. G., 1904, 2516
Zehnder, G. W., 281
Zeiss, M. R., 2270
Zemetra, R. S., 1480
Zhai, J., 348

A
Acalymma vittatum, carbofuran, 1910
enhanced biodegradation, 1910
acaricides, pear, 2088
resistance, 2088
Acarus siro, radiation, 162
spermatogenesis, 162
acephate, *Apis mellifera*, 1104
pest management, 1104
Aceria sheldoni, economic thresholds, 1318
IPM, 1318
sampling, 2389
spatial dispersion, 2389
Acyrthosiphon pisum, alarm pheromone, 794
Nabis americoferus, 794
Adelges tsugae, fertilization, 468
pesticides, 468
adjuvants, *Aphis gossypii*, 1347
insecticide residues, 1347
aerial application, chemigation, 539
Ostrinia nubilalis, 539
aerial ULV malathion, *Apis mellifera*, 692
honey bee colonies, 692
aflatoxin, *Helicoverpa zea*, 998
Zea mays, 998
Agropyron desertorum, *Bromus tectorum*, 783
food habits, 783
Agrotis ipsilon, carabidae, 256
conventional tillage, 256
Agrotis orthogonia, control, 1387
crop protection, 1387
larval development, 1146
pyrethroids, 1146
alarm pheromone, *Acyrthosiphon pisum*, 794
Nabis americoferus, 794
aldicarb, peanut, 1072
spotted wilt, 1072
alfalfa, *Empoasca fabae*, 576
Fusarium crown-rot, 1442
insecticide resistance, 1576
plant resistance, 576
Spissistilus festinus, 1442
Therioaphis trifolii f. maculata, 1576
alfalfa floral volatiles, antennal signals, 226
Apis mellifera, 226
alfalfa weevil, cultural control, 1946
winter grazing, 1946
allelochemicals, carbaryl, 1628
detoxication enzymes, 1628
Allonemobius allardi, conservation tillage, 1933
habitat preferences, 1933
altered elm resistance, forest tent caterpillar, 172
smaller European elm bark beetle, 172
alternate-row middle, bioassays, 926
insecticide residues, 926
Amblyseius fallacis, bioassays, 2051
permethrin, 2051
amitraz, *Heliothis virescens*, 658
synergism, 658
Amyelois, dynamics, 2153
parasitoids, 2153
Anarsia lineatella, phenology, 1904
population dynamics, 1904
Anasa tristis, density effects, 2365
plant-insect interactions, 2365
Anastrepha obliqua (Macquart), larval mortality, 1859
phytotoxicity, 1859
Anastrepha suspensa, *Averrhoa carambola*, 1231
citrus, 813
guava, 1235
limes, 1843
movement, 813
quarantine, 1843
quarantine security, 1231
quarantine treatment, 1235
Annonaceous acetogenins, *Asimina triloba*, 2353
paw paw, 2353
antennal signals, alfalfa floral volatiles, 226
Apis mellifera, 226
Anthonomus eugenii, sampling, 1919
threshold, 1919
Anthonomus grandis grandis, feeding behavior, 2201
olfactory behavior, 2201
Anthonomus grandis, *Beauveria*, 1130
biological control, 1130
ecology, 74
host plants, 74
antibiosis, *Brachiaria*, 1485
Callosobruchus chinesis, 1150
Cercopidae, 1485
Helicoverpa zea, 289, 601
host plant resistance, 1150
Lipaphis erysimi, 2003
maize, 289
Oilseed brassica, 2003
tolerance, 601
Anticarsia gemmatalis, compensatory feeding, 1717
food utilization, 1717
antidesiccants, biological control, 1636
Noctuidae, 1636
Antitrogus parvulus, *Lepidiota negatoria*, 106
phagostimulants, 106
antixenosis, Cruciferae, 743
Phyllotreta spp., 743
Aonidiella aurantii, *Aphytis melinus*, 1112
biological control, 1112
aphid damage, Russian wheat aphid, 2017
wheat, 2017
aphids, barley, 2510
cotton aphid, 1
foliage conditioning, 187
host plant resistance, 2510
insecticide resistance, 1
pecan aphids, 187
transmission characteristics, 759
Zucchini Yellow Mosaic Virus, 759
Aphis gossypii, adjuvants, 1347
carboxylesterases, 651
insecticide residues, 1347
insecticide resistance, 651
Aphis spiraecola, apple, 496
apple, 939
nitrogen, 496
photosynthesis, 939
Aphis spp., *Myzus* spp., 799
population growth, 799
Aphytis melinus, *Aonidiella aurantii*, 1112
biological control, 1112
Apis mellifera, acephate, 1104
aerial ULV malathion, 692
alfalfa floral volatiles, 226
antennal signals, 226
Arachnida Acarapis woodi, 2118
colony mortality, 40
economics, 621
honey bee colonies, 692
malathion, 687
pest management, 1104
pheromones, 1293
pollination, 47, 462, 1293
residues and drift, 687
sacbrood virus, 47
selection, 2125
tracheal mites, 40
Varroa jacobsoni, 2125
Apis mellifera L., attractants, 233
repellents, 233
apple, *(E, E)*-8, 10-dodecadien-1-ol, 910

apple, *Aphis spiraecola*, 496, 939
Cydia pomonella, 910
fruit thinners, 477
mite control, 477
nitrogen, 496
photosynthesis, 939
apple orchards, *Phyllonorycter blancardella*, 192
pyrethroid insecticides, 192
aquatic effects, aquatic organisms, 860
insecticide residue, 860
aquatic organisms, aquatic effects, 860
insecticide residue, 860
Arachnida Acarapis woodi, *Apis mellifera*, 2118
artificial diets, insect rearing, 1491
Spodoptera frugiperda, 1491
Artogeia rapae, *Cotesia rubecula*, 739
distribution, 739
Asimina triloba, Annonaceous acetogenins, 2353
paw paw, 2353
Aspergillus flavus, host plant resistance, 2492
Zea mays, 2492
aster yellows, *Macrosteles quadrilineatus*, 2336
mycoplasma, 2336
attractants, *Apis mellifera* L., 233
bacteria, 83
repellents, 233
Rhagoletis pomonella, 83
attracticides, pheromones, 2100
Spodoptera littoralis, 2100
Autographa californica NPV, *Heliothis virescens*, 710
nuclear polyhedrosis virus, 710
autosomal sex determination, malathion resistance, 1566
Musca domestica, 1566
avermectin B1, *Cacopsylla pyri*, 182
pyricola, 182
avermectins, *Lucilia cuprina*, 28
oviposition suppression, 28
Averrhoa carambola, *Anastrepha suspensa*, 1231
quarantine security, 1231
azadirachtin, fruit fly, 1125
parasitoids, 1125
azamethiphos, resistance, 1041
synergist, 1041

B

Bacillus thuringiensis, field efficacy, 1651
formulation, 1425
Helicoverpa zea, 2516
heritability, 1551
insecticide resistance, 1551, 1594
Leptinotarsa decemlineata, 281
microbial control, 281
Plodia interpunctella, 1594
Plutella xylostella, 2082
protease inhibitors, 2082
starch encapsulation, 1425
transgenic tobacco, 1651, 2516
Bacillus thuringiensis subsp. kurstaki, *Heliothis virescens*, 2138
kurstaki, mandibular adduction force, 2138
bacteria, attractants, 83
entomopathogenic nematodes, 2144
Popillia japonica, 2144
Rhagoletis pomonella, 83
Bactrocera dorsalis, cold treatment, 2298
mangosteens, 2298
Bactrocera tryoni, disinfestation, 461
vapor heat treatment, 461
barley, aphids, 2510
Diuraphis noxia, 1954
barley, host plant resistance, 1954, 2023, 2510
barley, *Schizaphis graminum*, 2023
beat bucket, *Contarinia sorghicola*, 2418
Helicoverpa zea, 2418
Beauveria, *Anthonomus grandis*, 1130
biological control, 1130
behavior, *Blattella germanica*, 1201
Chilo partellus, 1736
cockroach, 123
Epitrimerus pyri, 1754
insecticide resistance, 1201
parasite, 384
pyrethroids, 123
stalkborer, 384
sticky-band traps, 1754
Zea mays, 1736
behavioral antagonist, mating disruption, 1709
pheromone, 1709
behavioral resistance, *Heliothis virescens*, 2058
pyrethroid resistance, 2058
Bemisia tabaci, buprofezin, 318
electrophoresis, 1278
insecticides, 1063
isoelectric focusing, 1278
juvenile hormone analog, 2113
pyriproxyfen, 2113
resistance, 318
resistance monitoring, 1063
binomial models, *Panonychus ulmi*, 1253
sampling, 1253
binomial sampling, *Diuraphis noxia*, 1779
small grains, 1779
stable fly, 130
Stomoxys calcitrans, 130
bioassays, alternate-row middle, 926
Amblyseius fallacis, 2051
insecticide residues, 926, 932
permethrin, 2051
Platynota idaeusalis, 932
biochemical toxicology, insecticide resistance, 1571
Oryzaephilus surinamensis, 1571
biological control, *Anthonomus grandis*, 1130
antidesiccants, 1636
Aonidiella aurantii, 1112
Aphytis melinus, 1112
Beauveria, 1130
cold-hardiness, 371
entomogenous nematodes, 365
entomopathogenic nematodes, 1660
host plant resistance, 731
ice nucleating bacteria, 371
Musca domestica, 451
Muscidifurax zaraptor, 451
Noctuidae, 1636, 1666
pesticide resistance, 15
Solenopsis invicta, 365
soybean, 731
Steinernema sp., 1666
synergism, 15
white grubs, 1660
biotypes, *Daktulosphaira vitifoliae*, 1527
Diuraphis noxia, 1497
plant resistance, 1497
Vitis spp., 1527
birdsfoot trefoil, plant bugs, 250
seed yield, 250
Blattella germanica, behavior, 1201
cockroach control, 117
cypermethrin, 348
Ebeling choice box, 1176
fecundity, 1809
flufenoxuron, 1194
growth, 424
insect growth regulators, 1194
insecticidal baits, 1176
insecticide resistance, 348, 1201
longevity, 1809

monoterpenoids, 424
nutrition, 838
reproduction, 838
urates, 117
Blattellidae, *Steinernema carpocapsae*, 1184
Blissus insularis, St. Augustinegrass, 2032
Stenotaphrum secundatum, 2032
Boophilus microplus, Cyhalothrin, 2286
lambdacyhalothrin, 2286
borate, *Hemicoelus gibbicollis*, 1188
structure-infesting beetle, 1188
border-row sprays, *Conotrachelus nenuphar*, 1307
dispersal, 1307
boric acid, *Musca domestica*, 1209
polybor 3, 1209
boron, *Fannia*, 137
Musca, 137
Brachiaria, antibiosis, 1485
Cercopidae, 1485
Brassica campestris, *Delia radicum*, 957
plant damage, 957
brighteners, *Lymantria dispar*, 1682
virus, 1682
Bromus tectorum, *Agropyron desertorum*, 783
food habits, 783
Bromus, Homoptera, 1731
wheat, 1731
Bruchus pisorum, eggs, 1791
sampling plan, 1791
Bt cotton, host plant resistance, 589
transgenic cotton, 589
buprofezin, *Bemisia tabaci*, 318
resistance, 318

C

cabbage pests, residues, 202
Cacopsylla pyri, avermectin B1, 182
Cacopsylla pyricola, 182
Cacopsylla pyricola, avermectin B1, 182
Cacopsylla pyri, 182
Formicidae, 70
predator exclusion, 70
Callosobruchus chinesis, antibiosis, 1150
host plant resistance, 1150
calmodulin, *Heliothis virescens*, 1069
phenoloxidase, 1069
calves, Nematoda, 144
weight gain, 144
Camponotus pennsylvanicus, delayed-action toxicity, 1822
toxic baits, 1822
carabidae, *Agrotis ipsilon*, 256
conventional tillage, 256
carbaryl, allelochemicals, 1628
detoxication enzymes, 1628
carbofuran, *Acalymma vittatum*, 1910
cultural control, 1007
enhanced biodegradation, 1910
Lissorhoptrus oryzophilus, 1007
carboxylesterases, *Aphis gossypii*, 651
insecticide resistance, 651
Carpophilus, insect trap, 772
sap beetles, 772
Carpophilus spp., dried fruits, 1990
feeding site, 1990
castes, fumigation, 845
termite control, 845
cattle, heat stress, 1835
Stomoxys calcitrans, 1835
Cephus cinctus, host plant resistance, 2008
insect detection, 2413
wheat, 2413
wheat, 2008
Ceratitis capitata, colonization, 753
Diachasmimorpha tryoni, 1671
marking, 2357
quality control, 753
rubidium, 2357
sterile insect technique, 1671
Cercopidae, antibiosis, 1485
Brachiaria, 1485
cereal aphids, population sampling, 830
spatial distribution, 830
cereals, *Diuraphis noxia*, 2452
microclimate, 2452
Cerotoma trifurcata, herbivory, 2408
population dispersion, 2404
seed damage, 2399
soybeans, 2399, 2404, 2408
chemical communication, reproductive behaviors, 1771
sublethal, 1771
chemigation, aerial application, 539
sorption, 1222
Ostrinia nubilalis, 539
cherry, *Cydia pomonella*, 1222, 1855
bromide, 1855
Chilo partellus, behavior, 1736
parasitoid, 518
stem borer, 518
Zea mays, 1736
Chilopoda, spider, 33
venom, 33
Chironomidae, organophosphates, 1606
rice, 1606
chitin synthesis inhibitor, *Ctenocephalides felis*, 112
juvenile hormone analog, 112
chlorpyrifos metabolism, monooxygenase, 1088
Tetranychus urticae, 1088
chlorpyrifos-methyl, control, 554
stored-product beetles, 554
chrysanthemum, greenhouse whitefly, 514
nitrogen, 514
chrysanthemum cultivars, development, 2377
Spodoptera exigua, 2377
Cicadellidae, insect vector, 411
plant diversity, 379
plant-insect interactions, 411
citrus, *Anastrepha suspensa*, 813
Colletotrichum gloeosporioides, 1330
Frankliniella bispinosa, 1330
movement, 813
threshold, 1926
yield, 1926
Clostridium bifermentans serovar malays, entomopathogens, 1618
mammalian safety, 1618
Coccinellidae, grain sorghum, 2251
sampling techniques, 2251
Cochilomyia hominivorax, feeding station, 1740
tropical forests, 1740
Cochliomyia hominivorax, gelled diets, 445
larval rearing, 445
cockroach, behavior, 123
metabolism, 1092
pyrethroids, 123
resistance, 1092
cockroach control, *Blattella germanica*, 117
urates, 117
codling moth, electroantennogram, 1274
mating disruption, 918, 1274
sex pheromone, 918
cold treatment, *Bactrocera dorsalis*, 2298
mangosteens, 2298

cold-hardiness, biological control, 371
ice nucleating bacteria, 371
cole crops, epicuticular wax, 1023
plant resistance to insects, 1023
Coleoptera, *Cylas formicarius*, 1642
entomopathogenic nematodes, 1642
insecticides, 570
stored wheat, 570
Colletortrichum gloeosporioides, citrus, 1330
Frankliniella bispinosa, 1330
colonization, *Ceratitis capitata*, 753
quality control, 753
colony mortality, *Apis mellifera*, 40
tracheal mites, 40
color, Oriental fruit fly, 808
sampling, 2258
Taeniothrips inconsequens, 2258
traps, 808
Colorado potato beetle, inoculative releases, 720
Perillus bioculatus, 720
commodity treatment, mangoes, 456
Poisson survival, 1033
Probit 9, 1033
quarantine security, 456
compensation, cotton, 1378
okra leaf, 1378
compensatory feeding, *Anticarsia gemmatalis*, 1717
food utilization, 1717
computer software, mail survey, 1218
pest management, 1218
Conoderus spp., sweet potato, 878
wireworms, 878
Conotrachelus nenuphar, border-row sprays, 1307
dispersal, 1307
conservation tillage, *Allonemobius allardi*, 1933
habitat preferences, 1933
contaminants, *Pseudococcus comstocki*, 212
trapping, 212
Contarinia schulzi, ethylene, 299
host plant resistance, 299
Contarinia sorghicola, beat bucket, 2418
Helicoverpa zea, 2418
control, *Agrotis orthogonia*, 1387
chlorpyrifos-methyl, 554
crop protection, 1387
stored-product beetles, 554
controlled atmospheres, resistance, 1450
Tribolicum castaneum, 1450
conventional tillage, *Agrotis ipsilon*, 256
carabidae, 256
corn, *Diatraea grandiosella*, 963
fall armyworm, 2486
Mollusca, 853
mortality, 963
pest management, 853
plant resistance, 2486
corn earworm, *Heliothis*, 779
inherited sterility, 779
corn plant resistance, fall armyworm, 2039
Spodoptera frugiperda, 2039
corn rootworm, enhanced microbial degradation, 1413
terbufos, 1413
Cotesia rubecula, *Artogeia rapae*, 739
distribution, 739
cotton, compensation, 1378
crop physiology, 1368
fruit distribution, 981
Heliothis virescens, 981
honey bees, 700
host plant resistance, 1356
insecticide resistance, 21
insecticides, 700
okra leaf, 1378
pest management, 1356
plant compensation, 1402
simulated damage, 1368
thrips, 1402
Trialeurodes vaporariorum, 21
cotton aphid, aphids, 1
insecticide resistance, 1
cotton bollworm, European corn borer, 402
feeding behavior, 402
cover crops, repellency, 389
Solenopsis invicta, 389
Crambe abyssinica, host plant resistance, 594
Phyllotreta cruciferae, 594
crop damage, *Diabrotica barberi*, 268
prolonged diapause, 268
crop loss assessment, *Myzus nicotianae*, 1963
tobacco, 1963
crop physiology, cotton, 1368
simulated damage, 1368
crop protection, *Agrotis orthogonia*, 1387
control, 1387
crop values, *Panonychus citri*, 486
yields, 486
Cruciferae, antixenosis, 743
Phyllotreta spp., 743
Ctenocephalides felis, chitin synthesis inhibitor, 112
juvenile hormone analog, 112
cucurbitacin, *Diabrotica barberi*, 967
Diabrotica virgifera virgifera, 967
Culicidae, larvicides, 2096
toxicity, 2096
cultural control, alfalfa weevil, 1946
carbofuran, 1007
Hypothenemus obscurus, 1878
Lissorhoptrus oryzophilus, 1007
macadamia, 1878
winter grazing, 1946
cyanogenesis, *Hypera postica*, 2467
insect resistance, 2467
Cyclocephala lurida, *Popillia japonica*, 900
turfgrass, 900
Cydia pomonella, *(E, E)*-8, 10-dodecadien-1-ol, 910
apple, 910
cherry, 1222, 1855
egg irradiation, 464
methyl bromide, 1855
quarantine treatment, 464
sorption, 1222
Cyhalothrin, *Boophilus microplus*, 2286
lambdacyhalothrin, 2286
Cylas formicarius, Coleoptera, 1642
entomopathogenic nematodes, 1642
monitoring system, 416
pheromone traps, 416
cypermethrin, *Blattella germanica*, 348
insecticide resistance, 348
cyromazine, fruit fly, 1687
Lucilia cuprina, 1614
parasitoids, 1687
reproduction, 1614

D

Daktulosphaira vitifoliae, biotypes, 1527
Vitis spp., 1527
damage, *Phthorimaea operculella*, 2246
plant growth, 1285
stored potatoes, 2246
sweet corn, 1285

damage assessment, macadamia, 1884
pest management, 1884
defoliating pests, host plant resistance, 1507
maturity, 1507
degree days, drought resistance, 2170
stress, 2170
droughty predictive model, seasonal occurrence, 821
delayed-action toxicity, *Camponotus pennsylvanicus*, 1822
toxic baits, 1822
Delia radicum, *Brassica campestris*, 957
plant damage, 957
Dendroctonus rufipennis, insecticides, 473
remedial control, 473
density effects, *Anasa tristis*, 2365
plant-insect interactions, 2365
detoxication enzymes, allelochemicals, 1628
carbaryl, 1628
development, chrysanthemum cultivars, 2377
Diabrotica virgifera virgifera, 2425
Megastigmus spermotrophus, 2323
Musca domestica, 1213
oviposition, 2323
poultry manure, 1213
prolonged diapause, 2425
Spodoptera exigua, 2377
Stephanitis pyrioides, 870
temperature, 870
developmental rates, *Plodia interpunctella*, 561
temperature, 561
developmental stress, fluctuating asymmetry, 2045
Lucilia cuprina, 2045
Diabrotica barberi, crop damage, 268
cucurbitacin, 967
Diabrotica virgifera virgifera, 967
diapause, 262
host selection, 246
oviposition, 246
prolonged diapause, 262, 268
Diabrotica virgifera virgifera, cucurbitacin, 967
development, 2425
Diabrotica barberi, 967
emergence, 544
hydroxamic acids, 2478
inbred corn, 2440
insecticides, 544
maize resistance, 2478
prolonged diapause, 2425
root pruning, 1434
sap flow, 1434
silk feeding, 2440
Diachasmimorpha tryoni, *Ceratitis capitata*, 1671
Diachasmimorpha tryoni, sterile insect technique, 1671
diagnostic dose, monitoring, 1601
resistance, 1601
diallel, *Rhopalosiphum maidis*, 1476
Zea mays, 1476
diapause, *Diabrotica barberi*, 262
Leptinotarsa decemlineata (Say), 1695, 1701
prolonged diapause, 262
temperature, 1695
thermal shock, 1701
Diaphania spp., Potyviruses, 2344
row cover, 2344
Diatraea grandiosella, corn, 963
mortality, 963
dicofol, *Panonychus ulmi*, 642
resistance, 642
diel periodicity, onions, 100
thrips, 100
dieldrin resistance, *Lucilia cuprina*, 352
mutagenesis, 352
diflubenzuron, reproduction, 664
Riptortus clavatus, 664
digestion, DIMBOA, 669
European corn borer, 669
DIMBOA, digestion, 669
European corn borer, 669
disinfestation, *Bactrocera tryoni*, 461
fumigant, 157
grain, 157
vapor heat treatment, 461
dispersal, border-row sprays, 1307
Conotrachelus nenuphar, 1307
distribution, *Artogeia rapae*, 739
Cotesia rubecula, 739
Inopus rubriceps, 2185
seasonal abundance, 1802
sugarcane pests, 2185
wireworm, 1802
Diuraphis noxia, barley, 1954
binomial sampling, 1779
biotypes, 1497
cereals, 2452
economic injury level, 987
electronic feeding monitor, 789
Elymus trachycaulum, 2012
feeding behavior, 395
host plant resistance, 2505
microclimate, 2452
modes of resistance, 2505
plant resistance, 1480, 1497, 2012
Schizaphis graminum, 789
simulation, 1167
small grains, 1779
standard error of prediction, 1167
supercooling, 1140
wheat, 987, 1480
winter survival, 1140
dried fruits, *Carpophilus* spp., 1990
dried fruits, feeding site, 1990
Drosophila melanogaster, insecticide resistance, 340
resistance inheritance, 340
drought resistance, degree days, 2170
drought stress, 2170
drought stress, degree days, 2170
drought resistance, 2170
dynamics, *Amyelois*, 2153
parasitoids, 2153

E

Ebeling choice box, *Blattella germanica*, 1176
insecticidal baits, 1176
ecdysteroid agonist, malformations, 2107
RH 5849, 2107
ecology, *Anthonomus grandis*, 74
host plants, 74
economic injury level, *Diuraphis noxia*, 987
wheat, 987
economic thresholds, *Aceria sheldoni*, 1318
IPM, 1318
economics, *Apis mellifera*, 621
pollination, 621
predation, 52
(E, E)-8, 10-dodecadien-1-ol, apple, 910
Cydia pomonella, 910
egg irradiation, *Cydia pomonella*, 464
quarantine treatment, 464
eggs, *Bruchus pisorum*, 1791
sampling plan, 1791
Elasmopalpus lignosellus, granular insecticides, 2459
nontarget effects, 2459
electroantennogram, codling moth, 1274
mating disruption, 1274

electronic feeding monitor,
Diuraphis noxia, 789
Schizaphis graminum, 789
electronic monitoring, feeding
behavior, 88
leafhopper, 88
electrophoresis, *Bemisia tabaci*,
1278
fruit fly, 208
isoelectric focusing, 1278
morphology, 208
ELISA, grain insects, 1463
stored products, 1463
Elymus trachycaulum,
Diuraphis noxia, 2012
plant resistance, 2012
emergence, *Diabrotica virgifera*
virgifera, 544
insecticides, 544
seasonality, 2161
Vitacea polistiformis, 2161
Empoasca fabae, alfalfa, 576
plant resistance, 576
Endopiza viteana, phenology,
2218
sampling, 2218
endosulfan, *Hypothenemus*
hampei, 325
resistance, 325
enhanced biodegradation,
Acalymma vittatum, 1910
carbofuran, 1910
enhanced microbial degradation,
corn rootworm, 1413
terbufos, 1413
entomogenous nematodes,
biological control, 365
Solenopsis invicta, 365
entomopathogenic nematodes,
bacteria, 2144
biological control, 1660
Coleoptera, 1642
Cylas formicarius, 1642
Popillia japonica, 2144
white grubs, 1660
entomopathogens, *Clostridium*
bifermentans serovar malays,
1618
mammalian safety, 1618
enzyme polymorphism,
Helicoverpa zea, 1079
Heliothis virescens, 1079
epicuticular wax, cole crops,
1023
plant resistance to insects,
1023
Epilachna varivestis, model,
1762
temperature effects, 1762
Epitrimerus pyri, behavior, 1754
sticky-band traps, 1754
ethylene, *Contarinia schulzi*,
299
host plant resistance, 299
European corn borer, cotton
bollworm, 402
digestion, 669
DIMBOA, 669
feeding behavior, 402
exclusion devices, physical
barriers, 2275
subterranean termites, 2275

F

fall armyworm, corn, 2486
corn plant resistance, 2039
insecticide resistance, 675
plant resistance, 2486
resistance mechanisms, 675
Spodoptera frugiperda, 2039
fall armyworm infestations,
larval application, 276
Spodoptera frugiperda, 276
Fannia, boron, 137
Musca, 137
fecundity, *Blattella germanica*,
1809
longevity, 1809
feeding, fenvalerate, 2279
Tabanidae, 2279
feeding behavior, *Anthonomus*
grandis grandis, 2201
cotton bollworm, 402
Diuraphis noxia, 395
electronic monitoring, 88
European corn borer, 402
leafhopper, 88
Lepidoptera, 2317
olfactory behavior, 2201
spruce budworm, 2317
feeding monitor, greenbug
biotypes, 1522
Schizaphis graminum, 1522
feeding site, *Carpophilus* spp.,
1990
dried fruits, 1990
feeding station, *Cochilomyia*
hominivorax, 1740
tropical forests, 1740
fenoxycarb, hydramethylnon,
2131
Solenopsis invicta, 2131
fenvalerate, feeding, 2279
insecticide resistance, 2073
leg autotomy, 1624
Plutella xylostella, 1624,
2073
Tabanidae, 2279
fertilization, *Adelges tsugae*, 468
pesticides, 468
field drainage, *Lissorhoptrus*
oryzophilus, 950
oviposition, 950
field efficacy, *Bacillus*
thuringiensis, 1651
transgenic tobacco, 1651
flooding, *Rhopobota naevana*,
2383
Tortricidae, 2383
fluctuating asymmetry,
developmental stress, 2045
Lucilia cuprina, 2045
flufenoxuron, *Blattella*
germanica, 1194
insect growth regulators,
1194
fluorescent pigment, marking,
567
Rhyzopertha dominica, 567
foliage conditioning, aphids, 187
pecan aphids, 187
food habits, *Agropyron*
desertorum, 783
Bromus tectorum, 783
food utilization, *Anticarsia*
gemmatalis, 1717
compensatory feeding, 1717
forest tent caterpillar, altered
elm resistance, 172
smaller European elm bark
beetle, 172
Formicidae, *Cacopsylla pyricola*,
70
predator exclusion, 70
formulation, *Bacillus*
thuringiensis, 1425
starch encapsulation, 1425
Frankliniella bispinosa, citrus,
1330
Colletotrichum
gloeosporioides, 1330
Frankliniella occidentalis,
insecticide resistance, 9
sex ratio, 1891
spatial distribution, 1891
synergism, 9
fruit distribution, cotton, 981
Heliothis virescens, 981
fruit fly, azadirachtin, 1125
cyromazine, 1687
electrophoresis, 208
morphology, 208
parasitoids, 1125, 1687
fruit thinners, apple, 477
mite control, 477
fumigant, disinfestation, 157
grain, 157
fumigation, castes, 845
termite control, 845
fungal endophyte, plant
resistance, 583
Russian wheat aphid, 583
fungi, Psocoptera, 1453
wheat dockage, 1453
Fusarium crown-rot, alfalfa,
1442
Spissistilus festinus, 1442

G
gelled diets, *Cochliomyia hominivorax*, 445
larval rearing, 445
gene flow, insecticide resistance, 611
local adaptation, 611
genetics, insecticide resistance, 1046
Pectinophora gossypiella, 335
permethrin, 335
Plutella xylostella, 1046
Gossypium hirsutum, *Heliothis virescens*, 359
Lepidoptera, 2211
Noctuidae, 2211
terpenoid aldehydes, 359
grain, disinfestation, 157
fumigant, 157
grain insects, ELISA, 1463
stored products, 1463
grain sorghum, Coccinellidae, 2251
sampling techniques, 2251
granular insecticides, *Elasmopalpus lignosellus*, 2459
nontarget effects, 2459
Graphognathus leucoloma, irrigation, 2228
soil insects, 2228
greenbug biotypes, feeding monitor, 1522
Schizaphis graminum, 1522
greenhouse, monitoring, 2263
yellow sticky traps, 2263
greenhouse whitefly, chrysanthemum, 514
nitrogen, 514
resistance bioassay, 634
resistance management, 634
tomato, 2370
Trileurodes vaporariorum, 2370
growth, *Blattella germanica*, 424
monoterpenoids, 424
guava, *Anastrepha suspensa*, 1235
quarantine treatment, 1235
Gypchek, gypsy moth, 1136
gypsy moth, Gypchek, 1136

H
habitat preferences, *Allonemobius allardi*, 1933
conservation tillage, 1933
hatch rates, population management, 65
Triops longicaudatus, 65
heat, models, 1846
quarantines, 1846
heat stress, cattle, 1835
Stomoxys calcitrans, 1835
heated air, quarantine treatment, 2302
quarantine treatment, 168
Tephritidae, 168, 2302
Helicoverpa armigera, pyrethroids, 1583
resistance, 1583
Helicoverpa virescens, insecticide resistance, 2064
tobacco budworm, 2064
Helicoverpa zea, aflatoxin, 998
antibiosis, 289, 601
Bacillus thuringiensis, 2516
beat bucket, 2418
Contarinia sorghicola, 2418
enzyme polymorphism, 1079
Heliothis virescens, 1079
insect growth regulator, 1099, 1972
insecticide economics, 888
larval growth, 2500
life tables, 1393
maize, 289
maysin, 2473, 2500
pheromones, 24C
resistance inheritance, 293
scaling test, 293
sorghum, 1393
frugiperda, 1099
Spodoptera frugiperda, 1972, 2473
sweet corn, 240
tolerance, 601
tomatoes, 888
Transgenic tobacco, 2516
Zea mays, 998
Heliothis armigera, management, 1539
resistance, 1539
Heliothis virescens, amitraz, 658
Autographa californica NPV, 710
Bacillus thuringiensis subsp. kurstaki, 2138
behavioral resistance, 2058
calmodulin, 1069
cotton, 981
enzyme polymorphism, 1079
fruit distribution, 981
Gossypium hirsutum, 359
Helicoverpa zea, 1079
host plant resistance, 2496
mandibular adduction force, 2138
nuclear polyhedrosis virus, 710
phenoloxidase, 1069
pyrethroid resistance, 2058
rearing, 2496
synergism, 658
terpenoid aldehydes, 359
transplanting dates, 1940
treatment thresholds, 1940
Heliothis, corn earworm, 779
inherited sterility, 779
Hemicoelus gibbicollis, borate, 1188
structure-infesting beetle, 1188
Hepialidae, root feeding, 2329
spruce-fur decline, 2329
heptane flotation, pear thrips, 865
soil extraction, 865
herbivory, *Cerotoma trifurcata*, 2408
soybeans, 2408
heritability, *Bacillus thuringiensis*, 1551
insecticide resistance, 1551
Homoptera, *Bromus*, 1731
wheat, 1731
honey bee, pheromone, 1300
pollination, 1300
honey bee colonies, aerial ULV malathion, 692
Apis mellifera, 692
honey bees, cotton, 700
insecticides, 700
horn fly, metabolic resistance, 1587
pyrethroid resistance, 1587
host passage, *Paecilomyces farinosus*, 58
Sitobion avenae, 58
host plant resistance, aphids, 2510
Aspergillus flavus, 2492
barley, 1954, 2510
biological control, 731
Bt cotton, 589
Cephus cinctus, 2008
Contarinia schulzi, 299
cotton, 1356
Crambe abyssinica, 594
defoliating pests, 1507
Diuraphis noxia, 1954, 2505
ethylene, 299
Heliothis virescens, 2496
maturity, 1507
Mayetiola destructor, 307
modes of resistance, 2505
pest management, 1356
Phyllotreta cruciferae, 594
rearing, 2496
soybean, 731
transgenic cotton, 589, 1516
wheat, 307, 2008
Zea mays, 2492
host plants, *Anthonomus grandis*, 74
ecology, 74
host selection, *Diabrotica barberi*, 246
oviposition, 246

host status, multivoltine species, 312
Tephritidae, 312
host plant resistance, antibiosis, 1150
barley, 2023
Callosobruchus chinesis, 1150
Medicago, 2027
Schizaphis graminum, 2023
Spissistilus festinus, 2027
house fly, insecticides, 435
parasitoids, 435
human exposure, insecticide, 974
reentry, 974
hydramethylnon, fenoxycarb, 2131
Solenopsis invicta, 2131
hydroxamic acids, *Diabrotica virgifera virgifera*, 2478
maize resistance, 2478
Hylastinus obscurus, red clover, 1340
root decline, 1340
Hylobius pales, *Hylobius radicis*, 1873
rearing, 1873
Hylobius radicis, *Hylobius pales*, 1873
rearing, 1873
Hypera postica, cyanogenesis, 2467
insect resistance, 2467
Hypothenemus hampei, endosulfan, 325
resistance, 325
Hypothenemus obscurus, cultural control, 1878
macadamia, 1878

I

ice nucleating bacteria, biological control, 371
cold-hardiness, 371
in-vitro feeding, *Ornithonyssus sylviarum*, 848
Parafilm membrane, 848
inbred corn, *Diabrotica virgifera virgifera*, 2440
silk feeding, 2440
inherited sterility, corn earworm, 779
Heliothis, 779
inoculative releases, Colorado potato beetle, 720
Perillus bioculatus, 720
Inopus rubriceps, distribution, 2185
sugarcane pests, 2185
insect detection, *Cephus cinctus*, 2413
wheat, 2413
insect growth regulator, *Helicoverpa zea*, 1099
Popillia japonica, 507
Blattella germanica, 1194
flufenoxuron, 1194
Helicoverpa zea, 1972
Spodoptera frugiperda, 507, 1099, 1972
insect rearing, artificial diets, 1491
Spodoptera frugiperda, 1491
insect resistance, cyanogenesis, 2467
Hypera postica, 2467
insect trap, *Carpophilus*, 772
sap beetles, 772
insect vector, Cicadellidae, 411
plant-insect interactions, 411
insecticidal baits, *Blattella germanica*, 1176
Ebeling choice box, 1176
insecticide, human exposure, 974
reentry, 974
insecticide degradation, malathion, 1015
Sitophilus oryzae, 1994
stored corn, 1015
wheat, 1994
insecticide economics, *Helicoverpa zea*, 888
tomatoes, 888
insecticide residue, aquatic effects, 860
aquatic organisms, 860
adjuvants, 1347
alternate-row middle, 926
Aphis gossypii, 1347
bioassays, 926, 932
Platynota idaeusalis, 932
insecticide resistance, alfalfa, 1576
aphids, 1
Aphis gossypii, 651
Bacillus thuringiensis, 1551, 1594
behavior, 1201
biochemical toxicology, 1571
Blattella germanica, 348, 1201
carboxylesterases, 651
cotton, 21
cotton aphid, 1
cypermethrin, 348
Drosophila melanogaster, 340
fall armyworm, 675
fenvalerate, 2073
Frankliniella occidentalis, 9
gene flow, 611
genetics, 1046
Helicoverpa virescens, 2064
heritability, 1551
local adaptation, 611
Oryzaephilus surinamensis, 1571
Plodia interpunctella, 1594
Plutella xylostella, 1046, 2073
resistance inheritance, 340
resistance mechanisms, 675
synergism, 9
Therioaphis trifolii f. maculata, 1576
tobacco budworm, 2064
Trialeurodes vaporariorum, 21
insecticides, *Bemisia tabaci*, 1063
Coleoptera, 570
cotton, 700
Dendroctonus rufipennis, 473
Diabrotica virgifera virgifera, 544
emergence, 544
honey bees, 700
house fly, 435
parasitoids, 435
remedial control, 473
resistance, 1471
resistance monitoring, 1063
Rhyzopertha dominica, 1471
rice stink bug, 375
Solenopsis invicta, 993
sorghum, 993
stored wheat, 570
Telenomus podisi, 375
integrated pest management, *Mayetiola destructor*, 530
Triticum aestivum, 530
invasions, polygyny, 1154
Solenopsis invicta, 1154
IPM, *Aceria sheldoni*, 1318
economic thresholds, 1318
irrigation, *Graphognathus leucoloma*, 2228
soil insects, 2228
isoelectric focusing, *Bemisia tabaci*, 1278
electrophoresis, 1278

J

juvenile hormone analog, *Bemisia tabaci*, 2113
chitin synthesis inhibitor, 112
Ctenocephalides felis, 112
pyriproxyfen, 2113

K

known age, *Musca domestica*, 2295
pupae, 2295

L
laboratory rearing technique, Thysanoptera, 895
western flower thrips, 895
lambdacyhalothrin, *Boophilus microplus*, 2286
Cyhalothrin, 2286
larval application, fall armyworm infestations, 276
Spodoptera frugiperda, 276
larval development, *Agrotis orthogonia*, 1146
pyrethroids, 1146
larval diet, mass rearing, 1830
Screwworm, 1830
larval diets, *Musca domestica*, 2291
Stomoxys calcitrans, 2291
larval growth, *Helicoverpa zea*, 2500
maysin, 2500
larval mortality, *Anastrepha obliqua* (Macquart), 1859
phytotoxicity, 1859
larval rearing, *Cochliomyia hominivorax*, 445
gelled diets, 445
larvicides, Culicidae, 2096
toxicity, 2096
leafhopper, electronic monitoring, 88
feeding behavior, 88
leg autotomy, fenvalerate, 1624
Plutella xylostella, 1624
Lepidiota negatoria, *Antitrogus parvulus*, 106
phagostimulants, 106
Lepidoptera, feeding behavior, 2317
Gossypium hirsutum, 2211
Noctuidae, 2211
spruce budworm, 2317
Leptinotarsa decemlineata, *Bacillus thuringiensis*, 281
microbial control, 281
(Say), diapause, 1695, 1701
(Say), temperature, 1695
(Say), thermal shock, 1701
life tables, *Helicoverpa zea*, 1393
sorghum, 1393
limes, *Anastrepha suspensa*, 1843
quarantine, 1843
Lipaphis erysimi, antibiosis, 2003
Oilseed brassica, 2003
Lissorhoptrus oryzophilus, carbofuran, 1007
cultural control, 1007
field drainage, 950
oviposition, 950
local adaptation, gene flow, 611
insecticide resistance, 611
longevity, *Blattella germanica*, 1809
fecundity, 1809
Lucilia cuprina, avermectins, 28
cyromazine, 1614
developmental stress, 2045
dieldrin resistance, 352
fluctuating asymmetry, 2045
mutagenesis, 352
oviposition suppression, 28
reproduction, 1614
lures, *Popillia japonica*, 1797
sampling, 1797
Lygus lineolaris, oviposition behavior, 1162
rearing, 1162
Lymantria dispar, brighteners, 1682
nuclear polyhedrosis virus, 1865
optical brighteners, 1120
sampling, 1865
virus, 1682
virus enhancement, 1120

M
macadamia, cultural control, 1878
damage assessment, 1884
Hypothenemus obscurus, 1878
pest management, 1884
Macrodactylus subspinosus, *Popillia japonica*, 2194
soil moisture and texture, 2194
Macrosteles quadrilineatus, aster yellows, 2336
mycoplasma, 2336
mail survey, computer software, 1218
pest management, 1218
maize, antibiosis, 289
Helicoverpa zea, 289
maize resistance, *Diabrotica virgifera virgifera*, 2478
hydroxamic acids, 2478
malathion, *Apis mellifera*, 687
insecticide degradation, 1015
residues and drift, 687
stored corn, 1015
malathion resistance, autosomal sex determination, 1566
Musca domestica, 1566
malformations, ecdysteroid agonist, 2107
RH 5849, 2107
mammalian safety, *Clostridium bifermentans* serovar malays, 1618
entomopathogens, 1618
management, *Heliothis armigera*, 1539
resistance, 1539
mandibular adduction force, *Bacillus thuringiensis* subsp. kurstaki, 2138
Heliothis virescens, 2138
mangoes, commodity treatment, 456
quarantine security, 456
mangosteens, *Bactrocera dorsalis*, 2298
cold treatment, 2298
marking, *Ceratitis capitata*, 2357
fluorescent pigment, 567
Rhyzopertha dominica, 567
rubidium, 2357
mass rearing, larval diet, 1830
Screwworm, 1830
mating disruption, behavioral antagonist, 1709
codling moth, 918, 1274
electroantennogram, 1274
pheromone, 1709
sex pheromone, 918
maturity, defoliating pests, 1507
host plant resistance, 1507
Mayetiola destructor, host plant resistance, 307
integrated pest management, 530
plant resistance, 2447
Triticum aestivum, 530
wheat, 307
yield components, 2447
maysin, *Helicoverpa zea*, 2473, 2500
larval growth, 2500
Spodoptera frugiperda, 2473
Medicago, host plant resistance, 2027
Spissistilus festinus, 2027
Mediterranean fruit fly, melon fly, 1240
oriental fruit fly, 1240
Megastigmus spermotrophus, development, 2323
oviposition, 2323
Melanoplus spp., sampling, 2270
soybean, 2270
melon fly, Mediterranean fruit fly, 1240
oriental fruit fly, 1240
metabolic resistance, horn fly, 1587
pyrethroid resistance, 1587
metabolism, cockroach, 1092
resistance, 1092
methyl bromide, cherry, 1855
Cydia pomonella, 1855
microbial control, *Bacillus thuringiensis*, 281
Leptinotarsa decemlineata, 281
microclimate, cereals, 2452
Diuraphis noxia, 2452

mite control, apple, 477
fruit thinners, 477
model, *Epilachna varivestis*, 1762
temperature effects, 1762
modeling, *Nilaparvata lugens*, 1979
resurgence, 1979
models, heat, 1846
quarantines, 1846
modes of resistance, *Diuraphis noxia*, 2505
host plant resistance, 2505
Mollusca, corn, 853
pest management, 853
monitoring, diagnostic dose, 1601
greenhouse, 2263
resistance, 1601
yellow sticky traps, 2263
monitoring system, *Cylas formicarius*, 416
pheromone traps, 416
monooxygenase, chlorpyrifos metabolism, 1088
Tetranychus urticae, 1088
monoterpenoids, *Blattella germanica*, 424
growth, 424
morphology, electrophoresis, 208
fruit fly, 208
mortality, corn, 963
Diatraea grandiosella, 963
movement, *Anastrepha suspensa*, 813
citrus, 813
multivoltine species, host status, 312
Tephritidae, 312
Musca domestica, autosomal sex determination, 1566
biological control, 451
boric acid, 1209
development, 1213
known age, 2295
larval diets, 2291
malathion resistance, 1566
Muscidifurax zaraptor, 451
polybor 3, 1209
poultry manure, 1213
pupae, 2295
Stomoxys calcitrans, 2291
Musca, boron, 137
Fannia, 137
Muscidifurax zaraptor, biological control, 451
Musca domestica, 451
mutagenesis, dieldrin resistance, 352
Lucilia cuprina, 352
mycoplasma, aster yellows, 2336
Macrosteles quadrilineatus, 2336
Myzus nicotianae, crop loss assessment, 1963
tobacco, 1963
Myzus spp., *Aphis* spp., 799
population growth, 799

N

Nabis americoferus, *Acyrthosiphon pisum*, 794
alarm pheromone, 794
natural enemies, pyrethroids, 1246
scale insects, 1246
Nematoda, calves, 144
persistence, 727
Popillia japonica, 727
weight gain, 144
Nilaparvata lugens, modeling, 1979
resurgence, 1979
nitrogen, *Aphis spiraecola*, 496
apple, 496
chrysanthemum, 514
greenhouse whitefly, 514
Noctuidae, antidesiccants, 1636
biological control, 1636, 1666
Gossypium hirsutum, 2211
Lepidoptera, 2211
Steinernema sp., 1666
nontarget effects, *Elasmopalpus lignosellus*, 2459
granular insecticides, 2459
nuclear polyhedrosis virus, *Autographa californica* NPV, 710
Heliothis virescens, 710
Lymantria dispar, 1865
sampling, 1865
Spodoptera frugiperda, 2149
Tinopal LPW, 2149
nutrition, *Blattella germanica*, 838
reproduction, 838

O

Oilseed brassica, antibiosis, 2003
Lipaphis erysimi, 2003
okra leaf, compensation, 1378
cotton, 1378
Olethreutinae, quarantine treatment, 2305
Tortricinae, 2305
olfactory behavior, *Anthonomus grandis grandis*, 2201
feeding behavior, 2201
onions, diel periodicity, 100
thrips, 100
optical brighteners, *Lymantria dispar*, 1120
virus enhancement, 1120
organophosphates, Chironomidae, 1606
rice, 1606
Oriental fruit fly, color, 808
Mediterranean fruit fly, 1240
melon fly, 1240
traps, 808
Ornithonyssus sylviarum, in-vitro feeding, 848
Parafilm membrane, 848
Oryzaephilus surinamensis, biochemical toxicology, 1571
insecticide resistance, 1571
Ostrinia nubilalis, aerial application, 539
chemigation, 539
oviposition, development, 2323
Diabrotica barberi, 246
field drainage, 950
host selection, 246
Lissorhoptrus oryzophilus, 950
Megastigmus spermotrophus, 2323
oviposition behavior, *Lygus lineolaris*, 1162
rearing, 1162
oviposition suppression, avermectins, 28
Lucilia cuprina, 28

P

Paecilomyces farinosus, host passage, 58
Sitobion avenae, 58
Panonychus citri, crop values, 486
yields, 486
Panonychus ulmi, binomial models, 1253
dicofol, 642
resistance, 642
sampling, 1253
Parafilm membrane, in-vitro feeding, 848
Ornithonyssus sylviarum, 848
parasite, behavior, 384
stalkborer, 384
parasitoid, *Chilo partellus*, 518
stem borer, 518
parasitoids, *Amyelois*, 2153
azadirachtin, 1125
cyromazine, 1687
dynamics, 2153
fruit fly, 1125, 1687
house fly, 435
insecticides, 435
sunflower, 766
Zygogramma exclamationis, 766
paw paw, Annonaceous acetogenins, 2353
Asimina triloba, 2353

peanut, aldicarb, 1072
spotted wilt, 1072
pear, acaricides, 2088
resistance, 2088
pear thrips, heptane flotation, 865
soil extraction, 865
pecan aphids, aphids, 187
foliage conditioning, 187
Pectinophora gossypiella, genetics, 335
permethrin, 335
penetration, permethrin, 1818
softwoods, 1818
Perillus bioculatus, Colorado potato beetle, 720
inoculative releases, 720
permethrin, *Amblyseius fallacis*, 2051
bioassays, 2051
genetics, 335
Pectinophora gossypiella, 335
penetration, 1818
softwoods, 1818
persistence, Nematoda, 727
Popillia japonica, 727
pest complexes, soybean, 2433
weed competition, 2433
pest management, acephate, 1104
Apis mellifera, 1104
computer software, 1218
corn, 853
cotton, 1356
damage assessment, 1884
host plant resistance, 1356
macadamia, 1884
mail survey, 1218
Mollusca, 853
pesticide resistance, biological control, 15
synergism, 15
pesticides, *Adelges tsugae*, 468
fertilization, 468
Phytoseiulus persimilis, 2077
residues, 2077
phagostimulants, *Antitrogus parvulus*, 106
Lepidiota negatoria, 106
phenology, *Anarsia lineatella*, 1904
Endopiza viteana, 2218
population dynamics, 1904
sampling, 2218
phenoloxidase, calmodulin, 1069
Heliothis virescens, 1069
pheromone, behavioral antagonist, 1709
honey bee, 1300
mating disruption, 1709
pollination, 1300
Rhopobota naevana, 947
Vaccinium macrocarpon, 947
pheromone traps, *Cylas formicarius*, 416
monitoring system, 416
pheromones, *Apis mellifera*, 1293
attracticides, 2100
Helicoverpa zea, 240
pollination, 1293
Spodoptera littoralis, 2100
sweet corn, 240
Phoracantha semipunctata, *Pyemotes tritici*, 683
sulfur, 683
photosynthesis, *Aphis spiraecola*, 939
apple, 939
Phthorimaea operculella, damage, 2246
stored potatoes, 2246
Phyllonorycter blancardella, apple orchards, 192
pyrethroid insecticides, 192
Phyllotreta cruciferae, *Crambe abyssinica*, 594
host plant resistance, 594
Phyllotreta spp., antixenosis, 743
Cruciferae, 743
physical barriers, exclusion devices, 2275
subterranean termites, 2275
Phytoseiulus persimilis, pesticides, 2077
residues, 2077
phytotoxicity, *Anastrepha obliqua* (Macquart), 1859
larval mortality, 1859
plant bugs, birdsfoot trefoil, 250
seed yield, 250
plant compensation, cotton, 1402
thrips, 1402
plant damage, *Brassica campestris*, 957
Delia radicum, 957
plant diversity, Cicadellidae, 379
plant growth, damage, 1285
sweet corn, 1285
plant resistance, alfalfa, 576
biotypes, 1497
corn, 2486
plant resistance, *Diuraphis noxia*, 1480, 1497, 2012
Elymus trachycaulum, 2012
Empoasca fabae, 576
fall armyworm, 2486
fungal endophyte, 583
Mayetiola destructor, 2447
Russian wheat aphid, 583
wheat, 1480
yield components, 2447
plant resistance to insects, cole crops, 1023
epicuticular wax, 1023
plant–insect interactions, *Anasa tristis*, 2365
Cicadellidae, 411
density effects, 2365
insect vector, 411
Platynota idaeusalis, bioassays, 932
insecticide residues, 932
Plodia interpunctella, *Bacillus thuringiensis*, 1594
developmental rates, 561
insecticide resistance, 1594
temperature, 561
Plutella xylostella, *Bacillus thuringiensis*, 2082
fenvalerate, 1624, 2073
genetics, 1046
insecticide resistance, 1046, 2073
leg autotomy, 1624
protease inhibitors, 2082
Poisson survival, commodity treatment, 1033
Probit 9, 1033
pollination, *Apis mellifera*, 47, 621, 1293
economics, 621
honey bee, 1300
pheromones, 1293, 1300
sacbrood virus, 47
polybor 3, boric acid, 1209
Musca domestica, 1209
polygyny, invasions, 1154
Solenopsis invicta, 1154
Popillia japonica, bacteria, 2144
Cyclocephala lurida, 900
entomopathogenic nematodes, 2144
insect growth regulator, 507
lures, 1797
Macrodactylus subspinosus, 2194
Nematoda, 727
persistence, 727
sampling, 1797
soil moisture and texture, 2194
Spodoptera frugiperda, 507
turfgrass, 900
population dispersion, *Cerotoma trifurcata*, 2404
soybeans, 2404
population dynamics, *Anarsia lineatella*, 1904
phenology, 1904
population growth, *Aphis* spp., 799
Myzus spp., 799
population management, hatch rates, 65
Triops longicaudatus, 65

population sampling, cereal aphids, 830
spatial distribution, 830
Potyviruses, *Diaphania* spp., 2344
row cover, 2344
poultry manure, development, 1213
Musca domestica, 1213
predation, economics, 52
predator exclusion, *Cacopsylla pyricola*, 70
Formicidae, 70
preentry sample size, Tephritidae, 1560
treatment efficacy, 1560
presence–absence sampling, strawberries, 2234
Tetranychus urticae, 2234, 2240
variance, 2240
Probit 9, commodity treatment, 1033
Poisson survival, 1033
prolonged diapause, crop damage, 268
development, 2425
Diabrotica barberi, 262, 268
Diabrotica virgifera virgifera, 2425
diapause, 262
protease inhibitors, *Bacillus thuringiensis*, 2082
Plutella xylostella, 2082
Prunus, quarantine treatment, 150
Rhagoletis completa, 150
Pseudococcus comstocki, contaminants, 212
trapping, 212
Pseudoplusia includens, resistance monitoring, 1056
soybeans, 1056
Psocoptera, fungi, 1453
wheat dockage, 1453
pupae, known age, 2295
Musca domestica, 2295
Pyemotes tritici, *Phoracantha semipunctata*, 683
sulfur, 683
pyrethroid insecticides, apple orchards, 192
Phyllonorycter blancardella, 192
pyrethroid resistance, behavioral resistance, 2058
Heliothis virescens, 2058
horn fly, 1587
metabolic resistance, 1587
pyrethroids, *Agrotis orthogonia*, 1146
behavior, 123
cockroach, 123
Helicoverpa armigera, 1583
larval development, 1146
natural enemies, 1246
resistance, 1583
scale insects, 1246
pyriproxyfen, *Bemisia tabaci*, 2113
juvenile hormone analog, 2113

Q

quality control, *Ceratitis capitata*, 753
colonization, 753
quarantine, *Anastrepha suspensa*, 1843
limes, 1843
quarantine security, *Anastrepha suspensa*, 1231
Averrhoa carambola, 1231
commodity treatment, 456
mangoes, 456
red ginger pests, 2310
systems approach, 2310
quarantine treatment, *Anastrepha suspensa*, 1235
Cydia pomonella, 464
egg irradiation, 464
guava, 1235
heated air, 168, 2302
Olethreutinae, 2305
Prunus, 150
Rhagoletis completa, 150
Tephritidae, 168, 2302
Tortricinae, 2305
quarantines, heat, 1846
models, 1846

R

radiation, *Acarus siro*, 162
spermatogenesis, 162
rearing, *Heliothis virescens*, 2496
host plant resistance, 2496
Hylobius pales, 1873
Hylobius radicis, 1873
Lygus lineolaris, 1162
oviposition behavior, 1162
red clover, *Hylastinus obscurus*, 1340
root decline, 1340
red ginger pests, quarantine security, 2310
systems approach, 2310
reentry, human exposure, 974
insecticide, 974
remedial control, *Dendroctonus rufipennis*, 473
insecticides, 473
repellency, cover crops, 389
Solenopsis invicta, 389
repellents, *Apis mellifera* L., 233
attractants, 233
reproduction, *Blattella germanica*, 838
cyromazine, 1614
diflubenzuron, 664
Lucilia cuprina, 1614
nutrition, 838
Riptortus clavatus, 664
reproductive behaviors, chemical communication, 1771
sublethal, 1771
residues, cabbage pests, 202
pesticides, 2077
Phytoseiulus persimilis, 2077
residues and drift, *Apis mellifera*, 687
malathion, 687
resistance, acaricides, 2088
azamethiphos, 1041
Bemisia tabaci, 318
buprofezin, 318
cockroach, 1092
controlled atmospheres, 1450
diagnostic dose, 1601
dicofol, 642
endosulfan, 325
Helicoverpa armigera, 1583
Heliothis armigera, 1539
Hypothenemus hampei, 325
insecticides, 1471
management, 1539
metabolism, 1092
monitoring, 1601
Panonychus ulmi, 642
pear, 2088
pyrethroids, 1583
Rhyzopertha dominica, 1471
synergist, 1041
Tribolicum castaneum, 1450
resistance bioassay, greenhouse whitefly, 634
resistance management, 634
resistance inheritance, *Drosophila melanogaster*, 340
Helicoverpa zea, 293
insecticide resistance, 340
scaling test, 293
resistance management, greenhouse whitefly, 634
resistance bioassay, 634
resistance mechanisms, fall armyworm, 675
insecticide resistance, 675
resistance monitoring, *Bemisia tabaci*, 1063
insecticides, 1063
Pseudoplusia includens, 1056
soybeans, 1056
resurgence, modeling, 1979
Nilaparvata lugens, 1979
Reticulitermes hesperus, soil treatments, 430
termiticides, 430

RH 5849, ecdysteroid agonist, 2107
malformations, 2107
Rhagoletis completa, *Prunus*, 150
quarantine treatment, 150
Rhagoletis pomonella, attractants, 83
bacteria, 83
Rhopalosiphum maidis, diallel, 1476
Zea mays, 1476
Rhopobota naevana, flooding, 2383
pheromone, 947
Tortricidae, 2383
Vaccinium macrocarpon, 947
Rhyzopertha dominica, fluorescent pigment, 567
insecticides, 1471
marking, 567
resistance, 1471
rice, Chironomidae, 1606
organophosphates, 1606
rice stink bug, insecticides, 375
Telenomus podisi, 375
Riptortus clavatus, diflubenzuron, 664
reproduction, 664
root decline, *Hylastinus obscurus*, 1340
red clover, 1340
root feeding, Hepialidae, 2329
spruce-fur decline, 2329
root pruning, *Diabrotica virgifera virgifera*, 1434
sap flow, 1434
row cover, *Diaphania* spp., 2344
Potyviruses, 2344
rubidium, *Ceratitis capitata*, 2357
marking, 2357
Russian wheat aphid, aphid damage, 2017
fungal endophyte, 583
plant resistance, 583
wheat, 2017

S

sacbrood virus, *Apis mellifera*, 47
pollination, 47
sampling, *Aceria sheldoni*, 2389
Anthonomus eugenii, 1919
binomial models, 1253
color, 2258
Endopiza viteana, 2218
lures, 1797
Lymantria dispar, 1865
Melanoplus spp., 2270
nuclear polyhedrosis virus, 1865
Panonychus ulmi, 1253
phenology, 2218
Popillia japonica, 1797
soybean, 2270
spatial dispersion, 2389
Taeniothrips inconsequens, 2258
threshold, 1919
sampling plan, *Bruchus pisorum*, 1791
eggs, 1791
sampling techniques, Coccinellidae, 2251
grain sorghum, 2251
sap beetles, *Carpophilus*, 772
insect trap, 772
sap flow, *Diabrotica virgifera virgifera*, 1434
root pruning, 1434
scale insects, natural enemies, 1246
pyrethroids, 1246
scaling test, *Helicoverpa zea*, 293
resistance inheritance, 293
Schizaphis graminum, barley, 2023
Diuraphis noxia, 789
electronic feeding monitor, 789
feeding monitor, 1522
greenbug biotypes, 1522
host plant resistance, 2023
Screwworm, larval diet, 1830
mass rearing, 1830
sterile insect technique, 441
survival, 441
seasonal abundance, distribution, 1802
wireworm, 1802
seasonal occurrence, degree-day predictive model, 821
seasonality, emergence, 2161
Vitacea polistiformis, 2161
seed damage, *Cerotoma trifurcata*, 2399
soybeans, 2399
seed yield, birdsfoot trefoil, 250
plant bugs, 250
selection, *Apis mellifera*, 2125
Varroa jacobsoni, 2125
sex pheromone, codling moth, 918
mating disruption, 918
sex ratio, *Frankliniella occidentalis*, 1891
spatial distribution, 1891
silk feeding, *Diabrotica virgifera virgifera*, 2440
inbred corn, 2440
simulated damage, cotton, 1368
crop physiology, 1368
simulation, *Diuraphis noxia*, 1167
standard error of prediction, 1167
Sitobion avenae, host passage, 58
Paecilomyces farinosus, 58
Sitophilus oryzae, insecticide degradation, 1994
wheat, 1994
small grains, binomial sampling, 1779
Diuraphis noxia, 1779
smaller European elm bark beetle, altered elm resistance, 172
forest tent caterpillar, 172
softwoods, penetration, 1818
permethrin, 1818
soil extraction, heptane flotation, 865
pear thrips, 865
soil insects, *Graphognathus leucoloma*, 2228
irrigation, 2228
soil moisture and texture, *Macrodactylus subspinosus*, 2194
Popillia japonica, 2194
soil treatments, *Reticulitermes hesperus*, 430
termiticides, 430
Solenopsis invicta, biological control, 365
cover crops, 389
entomogenous nematodes, 365
fenoxycarb, 2131
hydramethylnon, 2131
insecticides, 993
invasions, 1154
polygyny, 1154
repellency, 389
sorghum, 993
sorghum, *Helicoverpa zea*, 1393
insecticides, 993
life tables, 1393
Solenopsis invicta, 993
sorption, cherries, 1222
Cydia pomonella, 1222
soybean, biological control, 731
host plant resistance, 731
Melanoplus spp., 2270
pest complexes, 2433
sampling, 2270
weed competition, 2433
Cerotoma trifurcata, 2399, 2404, 2408
herbivory, 2408
population dispersion, 2404
Pseudoplusia includens, 1056
resistance monitoring, 1056
seed damage, 2399
spatial dispersion, *Aceria sheldoni*, 2389
sampling, 2389

spatial distribution, cereal aphids, 830
Frankliniella occidentalis, 1891
population sampling, 830
sex ratio, 1891
spermatogenesis, *Acarus siro*, 162
radiation, 162
spider, Chilopoda, 33
venom, 33
Spissistilus festinus, alfalfa, 1442
Fusarium crown-rot, 1442
host plant resistance, 2027
Medicago, 2027
Spodoptera exigua, chrysanthemum cultivars, 2377
development, 2377
Spodoptera frugiperda, artificial diets, 1491
corn plant resistance, 2039
fall armyworm, 2039
fall armyworm infestations, 276
Helicoverpa zea, 1099, 1972, 2473
insect growth regulator, 507, 1099, 1972
insect rearing, 1491
larval application, 276
maysin, 2473
nuclear polyhedrosis virus, 2149
Popillia japonica, 507
Tinopal LPW, 2149
Spodoptera littoralis, attracticides, 2100
pheromones, 2100
spotted wilt, aldicarb, 1072
peanut, 1072
spruce budworm, feeding behavior, 2317
Lepidoptera, 2317
spruce-fur decline, Hepialidae, 2329
root feeding, 2329
St. Augustinegrass, *Blissus insularis*, 2032
Stenotaphrum secundatum, 2032
stable fly, binomial sampling, 130
Stomoxys calcitrans, 130
stalkborer, behavior, 384
parasite, 384
standard error of prediction, *Diuraphis noxia*, 1167
simulation, 1167
starch encapsulation, *Bacillus thuringiensis*, 1425
formulation, 1425
Steinernema carpocapsae, *Blattellidae*, 1184
Steinernema sp., biological control, 1666
Noctuidae, 1666
stem borer, *Chilo partellus*, 518
parasitoid, 518
Stenotaphrum secundatum, *Blissus insularis*, 2032
St. Augustinegrass, 2032
Stephanitis pyrioides, development, 870
temperature, 870
sterile insect technique, *Ceratitis capitata*, 1671
Diachasmimorpha tryoni, 1671
screwworm, 441
survival, 441
sticky-band traps, behavior, 1754
Epitrimerus pyri, 1754
Stomoxys calcitrans, binomial sampling, 130
cattle, 1835
heat stress, 1835
larval diets, 2291
Musca domestica, 2291
stable fly, 130
stored corn, insecticide degradation, 1015
malathion, 1015
stored potatoes, damage, 2246
Phthorimaea operculella, 2246
stored-product beetles, chlorpyrifos-methyl, 554
control, 554
stored products, ELISA, 1463
grain insects, 1463
stored wheat, Coleoptera, 570
insecticides, 570
strawberries, presence-absence sampling, 2234
Tetranychus urticae, 2234
structure-infesting beetle, borate, 1188
Hemicoelus gibbicollis, 1188
sublethal, chemical communication, 1771
reproductive behaviors, 1771
subterranean termites, exclusion devices, 2275
physical barriers, 2275
sugarcane pests, distribution, 2185
Inopus rubriceps, 2185
sulfur, *Phoracantha semipunctata*, 683
Pyemotes tritici, 683
sunflower, parasitoids, 766
Zygogramma exclamationis, 766
supercooling, *Diuraphis noxia*, 1140
winter survival, 1140
survival, screwworm, 441
sterile insect technique, 441
sweet corn, damage, 1285
Helicoverpa zea, 240
pheromones, 240
plant growth, 1285
sweet potato, *Conoderus* spp., 878
wireworms, 878
synergism, amitraz, 658
biological control, 15
Frankliniella occidentalis, 9
Heliothis virescens, 658
insecticide resistance, 9
pesticide resistance, 15
synergist, azamethiphos, 1041
resistance, 1041
systems approach, quarantine security, 2310
red ginger pests, 2310

T

Tabanidae, feeding, 2279
fenvalerate, 2279
Taeniothrips inconsequens, color, 2258
sampling, 2258
Telenomus podisi, insecticides, 375
rice stink bug, 375
temperature, development, 870
developmental rates, 561
diapause, 1695
Leptinotarsa decemlineata (Say), 1695
Plodia interpunctella, 561
Stephanitis pyrioides, 870
temperature effects, *Epilachna varivestis*, 1762
model, 1762
Tephritidae, heated air, 168, 2302
host status, 312
multivoltine species, 312
preentry sample size, 1560
quarantine treatment, 168, 2302
treatment efficacy, 1560
terbufos, corn rootworm, 1413
enhanced microbial degradation, 1413
termite control, castes, 845
fumigation, 845
termiticides, *Reticulitermes hesperus*, 430
soil treatments, 430
terpenoid aldehydes, *Gossypium hirsutum*, 359
Heliothis virescens, 359
Tetranychus urticae, chlorpyrifos metabolism, 1088
monooxygenase, 1088
presence-absence sampling,

2234, 2240
strawberries, 2234
variance, 2240
Therioaphis trifolii f. maculata, alfalfa, 1576
insecticide resistance, 1576
thermal shock, diapause, 1701
Leptinotarsa decemlineata (Say), 1701
threshold, *Anthonomus eugenii*, 1919
citrus, 1926
sampling, 1919
yield, 1926
thrips, cotton, 1402
diel periodicity, 100
onions, 100
plant compensation, 1402
Thysanoptera, laboratory rearing technique, 895
western flower thrips, 895
Tinopal LPW, nuclear polyhedrosis virus, 2149
Spodoptera frugiperda, 2149
tobacco, crop loss assessment, 1963
Myzus nicotianae, 1963
tobacco budworm, *Helicoverpa virescens*, 2064
insecticide resistance, 2064
tolerance, antibiosis, 601
Helicoverpa zea, 601
tomato, greenhouse whitefly, 2370
Trileurodes vaporariorum, 2370
tomatoes, *Helicoverpa zea*, 888
insecticide economics, 888
Tortricidae, flooding, 2383
Rhopobota naevana, 2383
Olethreutinae, 2305
Tortricinae, quarantine treatment, 2305
toxic baits, *Camponotus pennsylvanicus*, 1822
delayed-action toxicity, 1822
toxicity, Culicidae, 2096
larvicides, 2096
tracheal mites, *Apis mellifera*, 40
colony mortality, 40
transgenic cotton, *Bt* cotton, 589
host plant resistance, 589, 1516
transgenic tobacco, *Bacillus thuringiensis*, 1651, 2516
field efficacy, 1651
Helicoverpa zea, 2516
transmission characteristics, aphids, 759
Zucchini Yellow Mosaic Virus, 759
transplanting dates, *Heliothis virescens*, 1940
treatment thresholds, 1940
trapping, contaminants, 212
Pseudococcus comstocki, 212
traps, color, 808
Oriental fruit fly, 808
treatment efficacy, preentry
sample size, 1560
Tephritidae, 1560
treatment thresholds, *Heliothis virescens*, 1940
transplanting dates, 1940
Trialeurodes vaporariorum, cotton, 21
insecticide resistance, 21
Tribolicum castaneum, controlled atmospheres, 1450
resistance, 1450
Trileurodes vaporariorum, greenhouse whitefly, 2370
tomato, 2370
Triops longicaudatus, hatch rates, 65
population management, 65
Triticum aestivum, integrated pest management, 530
Mayetiola destructor, 530
tropical forests, *Cochilomyia hominivorax*, 1740
feeding station, 1740
turfgrass, *Cyclocephala lurida*, 900
Popillia japonica, 900

U

urates, *Blattella germanica*, 117
cockroach control, 117

V

Vaccinium macrocarpon, pheromone, 947
Rhopobota naevana, 947
vapor heat treatment, *Bactrocera tryoni*, 461
disinfestation, 461
variance, presence-absence sampling, 2240
Tetranychus urticae, 2240
Varroa jacobsoni, *Apis mellifera*, 2125
selection, 2125
venom, Chilopoda, 33
spider, 33
virus, brighteners, 1682
Lymantria dispar, 1682
virus enhancement, *Lymantria dispar*, 1120
optical brighteners, 1120
Vitacea polistiformis, emergence, 2161
seasonality, 2161
Vitis spp., biotypes, 1527
Daktulosphaira vitifoliae, 1527

W

weed competition, pest complexes, 2433
soybean, 2433
weight gain, calves, 144
Nematoda, 144
western flower thrips, laboratory rearing technique, 895
Thysanoptera, 895
wheat, aphid damage, 2017
Bromus, 1731
Cephus cinctus, 2008, 2413
Diuraphis noxia, 987, 1480
economic injury level, 987
Homoptera, 1731
host plant resistance, 307, 2008
insect detection, 2413
insecticide degradation, 1994
Mayetiola destructor, 307
plant resistance, 1480
Russian wheat aphid, 2017
Sitophilus oryzae, 1994
wheat dockage, fungi, 1453
Psocoptera, 1453
white grubs, biological control, 1660
entomopathogenic nematodes, 1660
winter grazing, alfalfa weevil, 1946
cultural control, 1946
winter survival, *Diuraphis noxia*, 1140
supercooling, 1140
wireworm, distribution, 1802
seasonal abundance, 1802
wireworms, *Conoderus* spp., 878
sweet potato, 878

Y

yellow sticky traps, greenhouse, 2263
monitoring, 2263
yield, citrus, 1926
threshold, 1926
yield components, *Mayetiola destructor*, 2447
plant resistance, 2447
yields, crop values, 486
Panonychus citri, 486

Z

Zea mays, aflatoxin, 998
Aspergillus flavus, 2492
behavior, 1736
Chilo partellus, 1736
diallel, 1476

Helicoverpa zea, 998
host plant resistance, 2492
Rhopalosiphum maidis, 1476
Zucchini Yellow Mosaic Virus,
aphids, 759
transmission characteristics,
759
Zygogramma exclamationis,
parasitoids, 766
sunflower, 766

Sustaining Associates

Sustaining Associates of the Entomological Society of America promote continuing programs of the society, support current entomological activities within the public community, and advance a better understanding of entomology. The following are Sustaining Associates for 1992. The Entomological Society of America is grateful for their support.

American Cyanamid Company
Princeton, NJ

Atochem North America
EIF, Inc.
Philadelphia, PA

CIBA-GEIGY Corporation
Agricultural Division
Greensboro, NC

Dow Elanco
Midlan, MI

E. I. du Pont de Nemours & Company
Agricultural Products Department
Wilmington, DE

ICI Americas
Agricultural Products Division
Wilmington, DE

Miles, Inc.
Agricultural Division
Kansas City, MO

NOR-AM Chemical Company
Wilmington, DE

Pioneer Hi-Bred International, Inc.
Plant Breeding Division
Johnston, IA

Rhône-Poulenc Ag Company
Research Triangle Park, NC

Rohm and Haas Company
Philadelphia, PA

Sandoz Agro, Inc.
Research Division
Palo Alto, CA

Uniroyal Chemical Company, Inc.
Crop Protection Research
& Development
Bethany, CT

Valent U.S.A. Corporation
Walnut Creek, CA